

METAVIC.

# METAVIC Since 1982 CUSTOM BUILT

Designed to be used in the most demanding forest conditions.

- Quality - Reliability - Strength - Durability -

www.petesequipmentvt.com

## **METAVIC** loaders are made entirely in Quebec

Mast

With high quality components, hoses with two strands of steel with high resistance to UV rays, and standard hydraulic fittings. The cylinders are designed and manufactured to provide METAVIC unmatched durability.




The mast design allows you to load closer to the guard to maximize trailer loading.



#### The articulations

Large ring range types combined to the use of main hardened steel joint provide unmatched durability.






Loaders	Series M95		Series 1150			Series 1400			
Models	M95 ATV's	M95 Tractor	1150	1150M13	1150M14	1400 (XT)	1600 (XT)	1800HD (XT)	2100HD (XT)
Length of mast	9'-6"	9'-6"	11'-6"	13'	14"	14'	16'	18'	21'
Boom extended (XT)						Optional 14' to 17'	Optional 16' to 19'	Optional 18' to 21'	Optional 21' to 24'
Total height	48"	48"	66"	66"	66"	84"	84"	84"	84"
Total width	30"	30"	40"	40"	40"	48"	48"	62"	62"
Boom rotation	270°	270°	270°	270°	270°	270°	270°	270°	270°
Grapple rotation	Continuous	Continuous	Continuous	Continuous	Continuous	Continuous	Continuous	Continuous	Continuous
Lifting capacity	800 lbs	1 000 lbs	1 500 lbs	1 500 lbs	1 750 lbs	2 200 lbs	2000 lbs	2 300 lbs	1 900 lbs
Grapple opening	29"	29"	32"	32"	32"	40" or 52"	40" or 52"	40" or 52"	40" or 52"
Pump and motor	5,5 HP	Optional 5,5 HP	Optional 9 HP	Optional 9 HP	Optional 9 HP	Optional 13 HP	Optional 13 HP	Optional 13 HP	Optional 13 HP
PTO pump		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Hydraulic winch	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Grapple closure	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"	4 1/2"
Weight	600 lbs	600 lbs	1 025 lbs	1 100 lbs	1 200 lbs	1 525 lbs	1 675 lbs	2350 lbs	2500 lbs

# **METAVIC Team**

Is continuously listening to customers and strives to exceed the requirements of the market in terms of stability, smooth operation, maintenance and performance.



Trailers	ers Series M95		Series	Series 1400			
Models	12RF	13RF	15RF	15RF	17RF	18RF	22RF
For trailers	M95 ATV's	M95 Tractor	1150 1150M13	1150M14	1400 (XT)	1400 (XT) 1600 (XT)	1600 (XT) 1800HD (XT) 2100HD (XT)
Overall length	11'-6"	13'	16'-2"	16'-2"	17'	18'	22'
Load length	9' (8 post)	9' (8 post)	11' (8 post)	11' (8 post)	12' (12 post)	13' (12 post)	15' (12 post)
Tires	25x12x10	11L15 Rally	11L15	12.5L15	12.5L15	16.5L16.1	500/50-17
Height with post	44"	53 1/2"	62"	62"	62"	78"	78"
Outer width of wheels	51"	54"	66"	70"	80"	90"	90"
Height with loader	66"	71 1/2"	89 1/2"	89 1/2"	110"	115"	115"
Load capacity	3 000 lbs	6 000 lbs	10000 lbs	12000 lbs	14000 lbs	18500 lbs	24000 lbs
TRAC system			Optional	Optional	Optional	Optional	Optional
Assisted control	Optional		Optional	Optional	Optional	Optional	Optional
Articulated draw bar			Optional	Optional	Optional	Optional	Optional
Weight	450 lbs	775 lbs	1 250 lbs	1 300 lbs	1 700 lbs	2600 lbs	2840 lbs

## **METAVIC Customers**

...benefit from acquired expertise over the past 30 years. They especially appreciate the smoothness of operation, stability, quality, reliability, strength and durability of our loaders.

# **Options**



#### Hydraulic winch

METAVIC winches are built into the frame and completely independent of the mast. Being very compact, too allow maximizing the loading of the trailer. Winches are durable and offer the possibility of working in areas wich are practically inaccessible.

	M95 ATV's	M95 Tractor	Series 1150 and 1400
Pull capacity	3 500 lbs	4000 lbs	6 500 lbs
Length of cable	80'	100'	100'
Cable diameter	1/4"	5/16"	5/16"



**TRAC** system



Tipper unloader



Hydraulic digger



Sand tipper



Hydraulic auger

## **METAVIC** loaders an ideal choice

For those looking for a high quality product enjoying one of the best warranties in the industry.



MET-161213-01E



746 Brooklyn Street, Morrisville, VT 05661 Phone: 1.866.237.3189 - Fax: 802.888.7037

www.petesequipmentvt.com

METAVIC reserves the right to modify manufacturing and/or specifications and/or design of its products without notice or incurring the obligation to make changes to products already sold.